



# PRODUCT CATALOG

Access  
Endo Devices  
Energy  
Ligation  
Stapling

**ETHICON**  
Johnson & Johnson SURGICAL TECHNOLOGIES

Reimagining how we heal™

---

# Our Credo

We believe our first responsibility is to the patients, doctors and nurses, to mothers and fathers and all others who use our products and services. In meeting their needs, everything we do must be of high quality. We must constantly strive to provide value, reduce our costs and maintain reasonable prices. Customers' orders must be serviced promptly and accurately. Our business partners must have an opportunity to make a fair profit.

We are responsible to our employees who work with us throughout the world. We must provide an inclusive working environment where each person must be considered as an individual. We must respect their diversity and dignity, and recognise their merit. They must have a sense of security, fulfilment and purpose in their jobs. Compensation must be fair and adequate, and working conditions clean, orderly and safe. We must support the health and well-being of our employees, and help them fulfil both their family and other personal responsibilities. Employees must feel free to make suggestions and complaints. There must be equal opportunity for employment, development and advancement for those qualified. We must provide highly capable leaders, and their actions must be just and ethical.

We are responsible to the communities in which we live and work, and to the world community as well. We must help people to be healthier by supporting better access and care in more places around the world. We must be good citizens – by supporting good works and charities, improving health and education, and bearing our fair share of taxes. We must maintain in good order the property we are privileged to use, protecting the environment and natural resources.

Our final responsibility is to our stockholders. Business must make a sound profit. We must experiment with new ideas. Research must be carried on, innovative programmes developed, investments made for the future and mistakes paid for. New equipment must be purchased, new facilities provided and new products launched. Reserves must be created to provide for adverse times. When we operate according to these principles, the stockholders should realise a fair return.

*Johnson & Johnson*

---

---

# CONTACT US

## Sweden

Tel: 08-626 22 03

E-post: [cservse@its.jnj.com](mailto:cservse@its.jnj.com)

## Finland

Puh: 0207-531 502

s-posti: [cservfi@its.jnj.com](mailto:cservfi@its.jnj.com)

## Denmark

Tel: 45 94 82 04

E-post: [cservdk@its.jnj.com](mailto:cservdk@its.jnj.com)

## Norway

Tel: 67 51 86 00

E-post: [ordre@ortomedic.no](mailto:ordre@ortomedic.no)




# J&J CUSTOMER CONNECT

J&J Customer Connect is a global portal for the Johnson & Johnson Family of Companies that lets you place orders, obtain order status, access our product catalog and more.

## Our enhanced site offers:


- Easier navigation
- Easier-to-find order details
- Mobile device optimization

J&J Customer Connect portal offers a 24/7 direct information access of daily inquiries and generates time-saving in the daily follow-up.



[HTTPS://JJCUSTOMERCONNECT.COM](https://jjccustomerconnect.com)

Our goal is to provide you with an easy-to-use portal to place orders and receive the order information you need to achieve your business objectives. Our convenient J&J Customer Connect portal lets you:



- Enjoy 24/7 ordering & account access
- Check order status & track shipments
- View purchase history & process returns
- View your order, even if placed through EDI, phone or fax
- Easily access invoices & delivery notes
- Access backorder status by running reports or receiving daily/weekly email updates
- View product availability dates
- Contact customer support...and more!

# TABLE OF CONTENTS

## Access



6

## Endo Devices



15

## Energy



19

## Ligation



29

## Stapling



35

---

# ACCESS

---

## BLADELESS

### 5mm ENDOPATH XCEL Bladeless Trocars with Optiview™ Technology



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
2B5ST	Stability	75mm	6
2B5LT	Stability	100mm	6
2B5XT	Stability	150mm	6

### 5mm ENDOPATH XCEL Bladeless Trocars



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
B5ST	Stability	75mm	6
B5LT	Stability	100mm	6
B5XT	Stability	150mm	6

### 8mm ENDOPATH XCEL Bladeless Trocar



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
B8LT	Stability	100mm	6

## 11mm ENDOPATH XCEL Bladeless Trocars



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
B11LT	Stability	100mm	6
B11LP	Smooth	100mm	6

## 11mm ENDOPATH XCEL Bladeless Trocars with Handle



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
B11LTH	Stability	100mm	6
B11LPH	Smooth	100mm	6

## 12mm ENDOPATH XCEL Bladeless Trocars



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
B12SRT	Stability	75mm	6
B12LT	Stability	100mm	6
B12XT	Stability	150mm	6
B12LP	Smooth	100mm	6

ACCESS



## 12mm ENDOPATH XCEL Bladeless Trocars with OPTIVIEW™ Technology



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
2B12LT	Stability	100mm	6
2B12XT	Stability	150mm	6

## 12mm ENDOPATH XCEL Bladeless Trocars with Handle



B12LTH



B12LPH

CODE	SLEEVE	SHAFT LENGTH	QUANTITY
B12LTH	Stability	100mm	6
B12LPH	Smooth	100mm	6

## 15mm ENDOPATH XCEL Bladeless Trocar



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
B15LT	Stability	100mm	6

## DILATING TIP

## 5mm ENDOPATH XCEL Dilation Tip Trocars with OPTIVIEW™ Technology



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
2D5ST	Stability	75mm	6
2D5LT	Stability	100mm	6

## DILATING TIP

### 5mm ENDOPATH XCEL Dilating Tip Trocars



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
D5ST	Stability	75mm	6
D5LT	Stability	100mm	6

### 11mm ENDOPATH XCEL Dilating Tip Trocar



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
D11LT	Stability	100mm	6

### 12mm ENDOPATH XCEL Dilation Tip Trocars with OPTIVIEW™ Technology



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
2D12LT	Stability	100mm	6
2D12XT	Stability	150mm	6

### 12mm ENDOPATH XCEL Dilating Tip Trocars



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
D12LT	Stability	100mm	6
D12XT	Stability	150mm	6

## SLEEVES

### 5mm ENDOPATH XCEL Universal Sleeve with OPTIVIEW™ Technology

Can be used with Both XCEL™ Bladeless and Dilating Tip Trocar



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
2CB5ST	Stability	75mm	6
2CB5LT	Stability	100mm	6

### 5mm ENDOPATH XCEL Universal Sleeves

Can be used with Both XCEL™ Bladeless and Dilating Tip Trocar



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
CB5LT	Stability	100mm	6
CB5ST	Stability	75mm	6

### 11mm ENDOPATH XCEL Universal Sleeve

Can be used with Both XCEL™ Bladeless and Dilating Tip Trocar



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
CB11LT	Stability	100mm	6

### 12mm ENDOPATH XCEL Universal Sleeve with OPTIVIEW™ Technology

Can be used with Both XCEL™ Bladeless and Dilating Tip Trocar



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
2CB12LT	Stability	100mm	6

## 12mm ENDOPATH XCEL Universal Sleeve

Can be used with Both XCEL™ Bladeless and Dilating Tip Trocar



CODE	SLEEVE	SHAFT LENGTH	QUANTITY
CB12LT	Stability	100mm	6

## BLUNT TIP

## 12mm ENDOPATH XCEL Blunt Tip Trocar with OPTIVIEW™ Technology



CODE	SHAFT LENGTH	QUANTITY
2H12LP	100mm	6

## 12mm ENDOPATH XCEL Blunt Tip Trocar



CODE	SHAFT LENGTH	QUANTITY
H12LP	100mm	6

## NEEDLES

### ENDOPATH Insufflation Needles Pneumoperitoneum



CODE	SHAFT LENGTH	QUANTITY
PN120	120mm	12
PN150	150mm	12


### ENDOPATH Insufflation Needle Ultra Veress



CODE	SHAFT LENGTH	QUANTITY
UV120	120mm	12

## HAND-ASSISTED LAPAROSCOPY (HALS)

### ENDOPATH DEXTRUS HALS Retractors



CODE	DESCRIPTION	ABDOMINAL WALL THICKNESS	QUANTITY
FLR01	Fixed Length Access Retractor— Small	< 4cm	6
FLR02	Fixed Length Access Retractor— Medium	4–7cm	6
FLR03	Fixed Length Access Retractor— Large	> 7cm	6

### ENDOPATH DEXTRUS HALS Products Retractor sold separately



CODE	DESCRIPTION	QUANTITY
HAP02	Seal Cap Assembly with Accessories	3

---

# ENDO DEVICES

---

## ENDO INSTRUMENTS

### ENDOPATH 5mm Instruments



CODE	DESCRIPTION	QUANTITY
5BB	Babcock, 5mm	6
5DCD	Dissector, Curved, with Monopolar Cautery, 5mm	6
5DCS	Scissors, Curved, with Monopolar Cautery, 5mm	6
5DSG	Grasper, 5mm	6

### ENDOPATH 5mm Instruments – Blunt Tip



CODE	DESCRIPTION	QUANTITY
BTD05	Dissector, Blunt Tip, 5mm, 3 per Pouch, 12 Pouches per Unit	12

### ENDOPATH 10mm Instruments



CODE	DESCRIPTION	QUANTITY
10AG	Anvil Grasper, 10mm	6
10BB	Babcock, 10mm	6

### ENDOPATH 10mm Instruments – Blunt Tip



CODE	DESCRIPTION	QUANTITY
BCD10	Dissector, Blunt Cherry, 10mm, 3 per Pouch, 12 Pouches per Unit	12



## ENDOSUTURE

### LAPRA-TY Absorbable Suture Products



CODE	DESCRIPTION	QUANTITY
MIC4030	LAPRA-TY® Absorbable Suture Clip Applicator, Reusable, for use with 11mm or 12mm Diameter Trocar	1

### LAPRA-TY Absorbable Suture Products



MIC4036

CODE	DESCRIPTION	QUANTITY
MIC4032	LAPRA-TY® Absorbable Suture Clips for use with 2-0, 3-0, 4-0 Coated VICRYL Suture, 2 Clips per Cartridge	6
MIC4034	LAPRA-TY® Absorbable Suture Clips for use with 2-0, 3-0, 4-0 Coated VICRYL Suture, 4 Clips per Cartridge	6
MIC4036	LAPRA-TY® Absorbable Suture Clips for use with 2-0, 3-0, 4-0 Coated VICRYL Suture, 6 Clips per Cartridge	6

ENDO


## POUCH

### ENDOPATH Specimen Retrieval Bags



CODE	DESCRIPTION	QUANTITY
POUCH	4"x6" ENDOPOUCH® Specimen Retrieval Bag, 224ml	6

## ENDOLOOP Ligature



CODE	DESCRIPTION	QUANTITY
EJ10C	ENDOLOOP® Coated VICRYL Ligature, 0, 50 cm	12
EJ11	ENDOLOOP®, VICRYL Loop Ligature, 0, 50 cm, non-needed	12
EZ11	ENDOLOOP®, PDS Loop Ligature, 0, 50 cm, non-needed	12
MIC108G	ENDOLOOP®, PDS II Loop Ligature, 3-0	12
MIC109G	ENDOLOOP®, PDS II Loop Ligature, 2-0	12
MIC110G	ENDOLOOP®, PDS II Loop Ligature, 0	12
MIC113G	ENDOLOOP®, PDS II Loop Ligature, Large, 1	12

## Laparoscopic Needle Holder

CODE	DESCRIPTION	QUANTITY
E705R	ENDOPATH® Needle Holder, Reusable, 5mm, 30cm Length	1
SRNH1	Self Righting Needle Holder, Reusable, 5mm, 30cm Length	1

---

# ENERGY

---

# ETHICON Energy HARMONIC

All ENSEAL® and HARMONIC® devices are compatible with the Ethicon Endo-Surgery Generator G11 (code: GEN11).

## SHEARS

### HARMONIC 1100 Shears with Adaptive Tissue Technology



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HAND PIECE	QUANTITY
HAR1120	Curved Shears	5mm	20cm	integrated	6
HAR1136	Curved Shears	5mm	36cm	integrated	6

### HARMONIC ACE +7 Shears with Adaptive Tissue Technology



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HAND PIECE	QUANTITY
HARH23	Curved Shears	5mm	23cm	HARHPGR	6
HARH36	Curved Shears	5mm	36cm	HARHPGR	6
HARH45	Curved Shears	5mm	45cm	HARHPGR	6

### HARMONIC ACE+ Shears with Adaptive Tissue Technology



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HAND PIECE	QUANTITY
HAR23	Curved Shears	5mm	23cm	HARHPGR	6
HAR36	Curved Shears	5mm	36cm	HARHPGR	6

## HARMONIC FOCUS+ Shears with Adaptive Tissue Technology



CODE	TIP	SHAFT LENGTH	HAND PIECE	QUANTITY
HAR9F	Curved Shears	9cm	HARHPBL	6
HAR17F	Curved Shears	17cm	HARHPBL	6

## BLADES

### HARMONIC SYNERGY Blades



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HAND PIECE	QUANTITY
SNGCB	Curved	3cm	4–9cm	HARHPBL	6
SNGHK	Hook	3cm	4–9cm	HARHPBL	6
SNGHK2	Hook	3cm	4–9cm	HARHPBL	6

### HARMONIC Laparoscopic Blades



CODE	TIP	SHAFT DIAMETER	SHAFT LENGTH	HAND PIECE	QUANTITY
HDH05	Hook	5mm	32cm	HARHPGR	6

# ENSEAL® Tissue Sealers

All ENSEAL® and HARMONIC® devices are compatible with the Ethicon Endo-Surgery Generator G11 (code: GEN 11).

## ENSEAL X1 Curved Jaw



CODE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
NSLX125C	5mm	25cm	3
NSLX137C	5mm	37cm	3
NSLX145C	5mm	45cm	3

## ENSEAL X1 Straight Jaw



CODE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
NSLX125S	5mm	25cm	3
NSLX137S	5mm	37cm	3

## ENSEAL X1 Large Jaw



CODE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
NSLX120L	13mm	20cm	6

## ENSEAL G2 Articulating Curved



CODE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
NSLG2C35A	5mm	35cm	6
NSLG2C45A	5mm	45cm	6

## ENSEAL G2 Articulating Straight



CODE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
NSLG2S35A	5mm	35cm	6
NSLG2S45A	5mm	45cm	6

ENERGY

## CAPITAL

### EES Generator



CODE	DESCRIPTION	QUANTITY
GEN11	EES Generator compatible with all HARMONIC® and ENSEAL® DEVICES	1

### Generator Cart



CODE	DESCRIPTION	QUANTITY
CRT11	Generator Cart	1

### Foot Switch and Cable



CODE	DESCRIPTION	QUANTITY
FSW11	Generator Foot Switch	1



## HANDPIECES AND ACCESSORIES

### Hand Pieces



HARHPGR



HARHPBL

CODE	DESCRIPTION	QUANTITY
HARHPGR	HARMONIC® Grey Hand Piece	1
HARHPBL	HARMONIC® Blue Hand Piece	1











### Accessories



GEN11VK

CODE	DESCRIPTION	QUANTITY
HST01	Sterilization Tray	1
HST02	Test Tip for HP054	1
TLB01	Torque Lock Blade Wrench	2
TTBLUE	Test Tip for HPBLUE	1
HSA08	Disposable Hand Switch Adaptor	3
GEN11VK	GEN11® Verification Key	1
HP54CTA	HARMONIC® Hand Piece Clean Tool	1

# POWERSTAR Bipolar Scissors

CODE	DESCRIPTION	
BP100	PowerStar Tenotomy 110 mm (4 1/2') curved	
BP120	Power Star Tenotomy 175 mm curved	
BP310	Power Star Metzenbaum Fine 140 mm curved	
BP320	PowerStar Metzenbaum Fine 175 mm (7') curved	
BP340	PowerStar Metzenbaum Fine 230 mm (9') curved	
BP360	PowerStar Metzenbaum Fine 280 mm (11') curved	
BP520	PowerStar Metzenbaum 175 mm (7') curved	
BP540	PowerStar Metzenbaum 230 mm (9') curved	
BP560	PowerStar Metzenbaum 280 mm (11') curved	
BP720	PowerStar Mayo 170 mm (6 3/4') curved	

## POWERSTAR Cables

CODE	GENERATOR	OTHER INFORMATION
BP910	Martin, Berchtold, Wolf, Aesculap	5 m
BP930	Erbe, Storz	5 m
BP940	Pegasys, Valleylab	5 m, fixed "banana"

# Energy ENDOPATH

## ENDOPATH Laparoscopic Bipolar Forceps



CODE	JAW	DIAMETER	QUANTITY
EBF01	Macro	5mm	5
EBF02	Micro	5mm	5

## ENDOPATH PROBE PLUS II Handles



CODE	CONTROL	GRIP	QUANTITY
EPH02	Hand	Pistol	6
EPH04	Hand	Pencil	6

## ENDOPATH PROBE PLUS II Hollow Tip Electrodes



CODE	ELECTRODE	SHAFT DIAMETER	SHAFT LENGTH	QUANTITY
EPS01	Hook	5mm	34cm	6
EPS02	Spatula	5mm	34cm	6
EPS03	Right Angle	5mm	34cm	6
EPS04	Curved Dissector	5mm	34cm	6
EPS06	Spatula	5mm	29cm	6
EPS07	Right Angle	5mm	29cm	6
EPS10	Pool/Sump and Irrigation	10mm	34cm	6

ENERGY

## Endopath Active Cords



EBC02

CODE	Description	PINS	QUANTITY
EBC02	Reusable Coaxial Pin Connector Bipolar Cord	1	1
EBC05	Active Return Cord Fixed Pin Connector	2	1

---

# LIGATION

---

## ENDOSCOPIC MULTIPLE CLIP APPLIERS

### Ligamax™ 5 Rotating Multiple Clip Applier



CODE	DIAMETER	SHAFT LENGTH	CLIP SIZE	# OF CLIPS	QUANTITY
EL5ML	5mm	33 cm	Medium/Large	15	3

### LIGACLIP Rotating Multiple Clip Applier



CODE	DIAMETER	SHAFT LENGTH	CLIP SIZE	# OF CLIPS	QUANTITY
ER320	10mm	28,9 cm	Medium/Large	20	3



CODE	DIAMETER	SHAFT LENGTH	CLIP SIZE	# OF CLIPS	QUANTITY
ER420	12mm	34,1 cm	Large	20	3

## OPEN MULTIPLE CLIP APPLIERS

### LIGACLIP® Multiple Clip Appliers



CODE	LENGTH	CLIP SIZE	# OF CLIPS	QUANTITY
MCS20	23.8 cm	Small	20	6
MSM20	23.8 cm	Medium	20	6
MCM20	29.2 cm	Medium	20	6
MCM30	29.2 cm	Medium	30	6
MCL20	33.7 cm	Large	20	6

## ENDOSCOPIC SINGLE CLIP APPLIERS

### LIGACLIP Multi-Patient Use Single Clip Appliers



CODE	CLIP SIZE	QUANTITY
LC2010Z	Medium	1
LC3010Z	Medium/Large	1
LC4010Z	Large	1

## OPEN SINGLE CLIP APPLIERS

### LIGACLIP Multi-Patient Use Single Clip Appliers – Blue



CODE	DESCRIPTION	HANDLE COLOR	LENGTH	CLIP SIZE	QUANTITY
LX105	—	Blue	14.6cm	Small	1
LX107	—	Blue	19.1cm	Small	1
LX110	—	Blue	26.7cm	Small	1

## LIGACLIP Multi-Patient Use Single Clip Appliers – Silver



LX205



LX207



LX210



LX220

CODE	DESCRIPTION	HANDLE COLOR	LENGTH	CLIP SIZE	QUANTITY
LX206	—	Silver	14.6 cm	Medium	1
LX207	—	Silver	19.1 cm	Medium	1
LX210	—	Silver	26.7 cm	Medium	1
LX220	Angled Jaw	Silver	26.7 cm	Medium	1

## LIGACLIP Multi-Patient Use Single Clip Appliers – Green



LC307



LC310



LC320



LC330

CODE	DESCRIPTION	HANDLE COLOR	LENGTH	CLIP SIZE	QUANTITY
LC307	—	Green	19.1 cm	Medium/Large	1
LC310	—	Green	26.7 cm	Medium/Large	1
LC320	Angled Jaw	Green	26.7 cm	Medium/Large	1
LC330	Right Angle	Green	26.7 cm	Medium/Large	1

## LIGACLIP Multi-Patient Use Single Clip Appliers – Yellow



LC407



LC410



LC420



LC430

CODE	DESCRIPTION	HANDLE COLOR	LENGTH	CLIP SIZE	QUANTITY
LC407	—	Yellow	19.1 cm	Large	1
LC410	—	Yellow	26.7 cm	Large	1
LC420	Angled Jaw	Yellow	26.7 cm	Large	1
LC430	Right Angle	Yellow	26.7 cm	Large	1



## LIGACLIP Ligating Clip Cartridge Base



CODE	DESCRIPTION	QUANTITY
LC800	LIGACLIP® Ligating Clip Cartridge Base	1

## SINGLE CLIPS

### LIGACLIP® EXTRA Titanium Ligating Clips

For use with both Endoscopic and Open/Conventional Single Clip Reusable Appliers



CODE	COLOR	CLIP SIZE	# OF CLIPS	QUANTITY
LT100	Blue	Small	6	36
LT102	Blue	Small	20	15
LT200	Silver	Medium	6	36
LT202	Silver	Medium	20	15
LT300	Green	Medium/Large	6	18
LT400	Yellow	Large	6	18

## ABSOLOK absorbable clips

### ABSOLOK Endoscopic Reusable Single Ligating Clip Applier



CODE	DIAMETER	CLIP SIZE	COLOR CODE	QUANTITY
AP2010S	10 mm	Medium	● Silver	1
AP3010S	10 mm	Medium/Large	● Green	1
AP4010S	10 mm	Large	● Yellow	1

### ABSOLOK Open Reusable Single Ligating Clip Applier



CODE	LENGTH	CLIP SIZE	COLOR CODE	QUANTITY
AC105	14,5 cm	Small	● Blue	1
AC107	18,5 cm	Small	● Blue	1
AC207	18,5 cm	Medium	● Silver	1
AC210	27,5 cm	Medium	● Silver	1
AC307	18,5 cm	Medium/Large	● Green	1
AC310	27,5 cm	Medium/Large	● Green	1
AC410	27,5 cm	Large	● Yellow	1

### ABSOLOK Absorbable Single Clips



CODE	CLIP SIZE	COLOR CODE	# OF CLIPS	Quantity
AP100	Small	● Blue	10	6
AP200	Medium	● Silver	10	6
AP201	Medium	● Silver	5	6
AP300	Medium/Large	● Green	10	6
AP301	Medium/Large	● Green	5	6
AP306	Medium/Large	● Green	6	6
AP400	Large	● Yellow	10	6
AP401	Large	● Yellow	5	6

---

# STAPLING

---

**ETHICON**

*Johnson & Johnson* SURGICAL TECHNOLOGIES

---

## SURGICAL STAPLING

### Powered Plus ECHELON FLEX 60mm Endocutters Reloads Sold Separately



CODE	ARTICULATION	SHAFT LENGTH	QUANTITY
PCEE60A	Yes	280mm	3
PSEE60A	Yes	340mm	3
PLEE60A	Yes	440mm	3

### ECHELON FLEX 60mm Endocutters Reloads Sold Separately



CODE	ARTICULATION	SHAFT LENGTH	QUANTITY
SC60A	Yes	280mm	3
EC60A	Yes	340mm	3
LONG60A	Yes	440mm	3

### ECHELON 60mm Reloads with GST



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
GST60W	○ White	6	Vascular	2.6mm	1.0mm	12
GST60B	● Blue	6	Standard	3.6mm	1.5mm	12
GST60D	● Gold	6	Standard/Thick	3.8mm	1.8mm	12
GST60G	● Green	6	Thick	4.1mm	2.0mm	12
GST60T	● Black	6	Extra Thick	4.2mm	2.3mm	12

## Powered Plus ECHELON FLEX 45mm Endcutters Reloads Sold Separately



CODE	ARTICULATION	SHAFT LENGTH	QUANTITY
PCEE45A	Yes	280mm	3
PSEE45A	Yes	340mm	3
PLEE45A	Yes	440mm	3

## ECHELON 45mm Reloads with GST



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
GST45W	○ White	6	Vascular	2.6mm	1.0mm	12
GST45B	● Blue	6	Standard	3.6mm	1.5mm	12
GST45D	● Gold	6	Standard/Thick	3.8mm	1.8mm	12
GST45G	● Green	6	Thick	4.1mm	2.0mm	12
GST45T	● Black	6	Extra Thick	4.2mm	2.3mm	12

## ECHELON FLEX 45mm Endcutters Reloads Sold Separately



CODE	ARTICULATION	SHAFT LENGTH	QUANTITY
SC45A	Yes	280mm	3
EC45A	Yes	340mm	3
EC45AL	Yes	440mm	3

## ECHELON FLEX Powered Vascular Stapler Reloads Sold Separately



CODE	ARTICULATION	SHAFT LENGTH	QUANTITY
PVE35A	Yes	320mm	3

## ENDOPATH ECHELON Vascular White Reload 35mm for Advanced Placement Tip



CODE	COLOR	TISSUE TYPE	OPEN STAPLE HEIGHT	STAPLE ROWS	CLOSED STAPLE HEIGHT	QUANTITY
VASECR35	White	Vascular	2.5mm	4	1.0mm	12

## ETS Flex 45mm Endcutters Reloads Sold Separately



CODE	ARTICULATION	SHAFT LENGTH	QUANTITY
ATS45	Yes	340mm	3

## ETS 45mm Reloads

For use with all ETS 45mm Endoscopic Linear Cutters (ATS45, ATS45NK)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TR45W	○ White	6	Vascular	2.5mm	1.0mm	12
6R45B	● Blue	6	Standard	3.5mm	1.5mm	12
TR45G	● Green	4	Standard/Thick	4.1mm	2.0mm	12

## LINEAR CUTTERS

### ETHICON Linear Cutter 55, Selectable Staple Height Reloads Sold Separately



CODE	SELECTABLE COLOR	TISSUE TYPE	QUANTITY
N TLC55	<span style="color: blue;">●</span> <span style="color: yellow;">●</span> <span style="color: green;">●</span>	Selectable	3

### ETHICON Linear Cutter 55, Selectable Staple Height – Reload



CODE	SELECTABLE COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
SR55	<span style="color: blue;">●</span>	6	Standard	4.3mm	1.5mm	12
	<span style="color: yellow;">●</span>	6	Standard/Thick	4.3mm	1.8mm	12
	<span style="color: green;">●</span>	6	Thick	4.3mm	2.0mm	12

### ETHICON Linear Cutter 75, Selectable Staple Height

Reloads Sold Separately



CODE	SELECTABLE COLOR	TISSUE TYPE	QUANTITY
N TLC75	<span style="color: blue;">●</span> <span style="color: yellow;">●</span> <span style="color: green;">●</span>	Selectable	3

### ETHICON Linear Cutter 75, Selectable Staple Height – Reload



CODE	SELECTABLE COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
SR75	<span style="color: blue;">●</span>	6	Standard	4.3mm	1.5mm	12
	<span style="color: yellow;">●</span>	6	Standard/Thick	4.3mm	1.8mm	12
	<span style="color: green;">●</span>	6	Thick	4.3mm	2.0mm	12



## 55mm Linear Cutters PROXIMATE® 55mm Linear Cutters with Safety Lockout



TVC55



TLC55



TCT55

CODE	COLOR	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	RELOAD INCLUDED	QUANTITY
TVC55	○ White	Vascular	2.5mm	1.0mm	TVR55	3
TLC55	● Blue	Standard	3.85mm	1.5mm	TCR55	3
TCT55	● Green	Thick	4.5mm	2.0mm	TRT55	3

## 55mm Linear Cutter Reloads For use with all 55mm Linear Cutters (TVC55, TLC55, TCT55)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TVR55	○ White	4	Vascular	2.5mm	1.0mm	12
TCR55	● Blue	4	Standard	3.85mm	1.5mm	12
TRT55	● Green	4	Thick	4.50mm	2.0mm	12

## 75mm Linear Cutters

PROXIMATE® 75mm Linear Cutters with Safety Lockout



TLC75



TCD75



TCT75

CODE	COLOR	TISSUE TYPE	RELOAD INCLUDED	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TLC75	● Blue	Standard	TCR75	3.85mm	1.5mm	3
TCD75	● Gold	Standard/Thick	TRD75	4.2mm	1.8mm	3
TCT75	● Green	Thick	TRT75	4.5mm	2.0mm	3

## 75mm Linear Cutter Reloads For use with all 75mm Linear Cutters (TLC75, TCD75, TCT75)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TCR75	● Blue	4	Standard	3.85mm	1.5mm	12
TRD75	● Gold	4	Standard/Thick	4.2mm	1.8mm	12
TRT75	● Green	4	Thick	4.5mm	2.0mm	12



## 100mm Linear Cutters PROXIMATE® 100mm Linear Cutters with Safety Lockout



TLC10



TCT10

CODE	COLOR	TISSUE TYPE	RELOAD INCLUDED	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TLC10	 Blue	Standard	TCR10	3.85mm	1.5mm	3
TCT10	 Green	Thick	TRT10	4.5mm	2.0mm	3

## 100mm Linear Cutter Reloads For use with all 100mm Linear Cutters (TLC10, TCT10)



CODE	COLOR	ROWS	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TCR10	 Blue	4	Standard	3.85mm	1.5mm	12
TRT10	 Green	4	Thick	4.5mm	2.0mm	12

## CIRCULAR STAPLERS

### Endoscopic Curved Intraluminal Staplers



ECS21B



ECS25B



ECS29B



ECS33B

CODE	LUMEN	SHAFT LENGTH	HEAD DIAMETER	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
ECS21B	12.4mm	XL	21mm	5.2mm	1.5-2.2mm Adjustable	3
ECS25B	16.5mm	XL	25mm	5.2mm	1.5-2.2mm Adjustable	3
ECS29B	20.4mm	XL	29mm	5.2mm	1.5-2.2mm Adjustable	3
ECS33B	24.4mm	XL	33mm	5.2mm	1.5-2.2mm Adjustable	3

### Curved Intraluminal Staplers



CDH21B



CDH25B



CDH29B



CDH33B

CODE	LUMEN	SHAFT LENGTH	HEAD DIAMETER	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
CDH21B	12.4mm	Standard	21mm	5.2mm	1.5-2.2mm Adjustable	3
CDH25B	16.5mm	Standard	25mm	5.2mm	1.5-2.2mm Adjustable	3
CDH29B	20.4mm	Standard	29mm	5.2mm	1.5-2.2mm Adjustable	3
CDH33B	24.4mm	Standard	33mm	5.2mm	1.5-2.2mm Adjustable	3

### ECHELON CIRCULAR™ Powered Stapler



CODE	LUMEN	SHAFT LENGTH	HEAD DIAMETER	OPEN LEG LENGTH	CLOSED STAPLE HEIGHT	QUANTITY
CDH23P	14.6mm	24cm	23mm	5.2mm	1.5-2.2mm	3
CDH25P	16.5mm	24cm	25mm	5.2mm	1.5-2.2mm	3
CDH29P	20.4mm	24cm	29mm	5.2mm	1.5-2.2mm	3
CDH31P	22.5mm	24cm	31mm	5.2mm	1.5-2.2mm	3

## Circular Sizers



CODE	DESCRIPTION	QUANTITY
CS23	Bowel sizers for the ENDOPATH® ILS Curved Staplers, 23mm	1
CS31	Bowel sizers for the ENDOPATH® ILS Curved Staplers, 31mm	1
CSS	Bowel Sizers for the ENDOPATH® ILS Curved Staplers, the set includes one each of a 25mm, 29mm, and 33mm sizer	1

## Reusable Purse String Clamp



CODE	DESCRIPTION	QUANTITY
EH40	—	1

## PROCEDURE STAPLERS

### PPH Procedure Set



CODE	DESCRIPTION	QUANTITY
PPH03	Includes Hemorrhoidal Circular Stapler 33mm, suture threader, circular anal dilator, and purse string anoscope	3

## LINEAR STAPLERS

### TX 30mm Linear Stapler PROXIMATE® TX 30mm Reloadable Linear Stapler



CODE	COLOR	TISSUE TYPE	RELOAD INCLUDED	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TX30V	○ White	Vascular	XR30V	2.5mm	1.0mm	3
XR30V	○ White	Vascular	—	2.5mm	1.0mm	12

### TX 30mm Linear Staplers PROXIMATE® TX 30mm Reloadable Linear Staplers




CODE	COLOR	TISSUE TYPE	RELOAD INCLUDED	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TX30B	● Blue	Standard	XR30B	3.5mm	1.5mm	3
TX30G	● Green	Thick	XR30G	4.8mm	2.0mm	3

### TX 30mm Linear Stapler Reloads For use with (TX30B, TX30G)



CODE	COLOR	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
XR30B	● Blue	Standard	3.5mm	1.5mm	12
XR30G	● Green	Thick	4.8mm	2.0mm	12

### TX 60mm Linear Staplers PROXIMATE® TX 60mm Reloadable Linear Staplers



CODE	COLOR	TISSUE TYPE	RELOAD INCLUDED	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
TX60B	● Blue	Standard	XR60B	3.5mm	1.5mm	3
TX60G	● Green	Thick	XR60G	4.8mm	2.0mm	3

## TX 60mm Linear Stapler Reloads For use with (TX60B, TX60G)



CODE	COLOR	TISSUE TYPE	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
XR60B	Blue	Standard	3.5mm	1.5mm	12
XR60G	Green	Thick	4.8mm	2.0mm	12

## CURVED CUTTER STAPLERS

### ECHELON CONTOUR™ 40mm Linear Staplers



CODE	COLOR	RELOAD INCLUDED	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
GCS40B	Blue	GCR40B	3.5mm	1.5mm	3
GCS40G	Green	GCR40G	4.7mm	2.0mm	3

### ECHELON CONTOUR 40mm Linear Stapler Reloads

For use with (GCS40B, GCS40G)



CODE	COLOR	OPEN STAPLE HEIGHT	CLOSED STAPLE HEIGHT	QUANTITY
GCR40B	Blue	3.5mm	1.5mm	6
GCR40G	Green	4.7mm	2.0mm	6

## SKIN STAPLERS

### Rotating Head Skin Staplers PROXIMATE® Rotating Head Skin Staplers with Stainless Steel Staples



CODE	SIZE	STAPLES	QUANTITY
PRR35	Regular	35	6
PRW35	Wide	35	6

### Fixed Head Skin Staplers PROXIMATE® Plus MD Fixed Head Skin Staplers with Multi-Directional Release



CODE	SIZE	STAPLES	QUANTITY
PMW35	Wide	35	6

### Fixed Head Skin Staplers

PROXIMATE® Plus MD Fixed Head Skin Staplers with Multi-Directional Release, Pistol Grip



CODE	SIZE	STAPLES	QUANTITY
PXW35	Wide	35	6

### Staple Extractor



CODE	SIZE	QUANTITY
PSX	Squeeze Handle Staple Extractor	12

---

# INDEX

---



# Index

10AG	16
10BB	16
2B12LT	9
2B12XT	9
2B5LT	7
2B5ST	7
2B5XT	7
2CB12LT	11
2CB5LT	11
2CB5ST	11
2D12LT	10
2D12XT	10
2D5LT	9
2D5ST	9
2H12LP	12
5BB	16
5DCD	16
5DCS	16
5DSG	16
6R45B	39
AC105	34
AC107	34
AC207	34
AC210	34
AC307	34
AC310	34
AC410	34
AP100	34
AP200	34
AP201	34
AP2010S	34
AP300	34
AP301	34
AP3010S	34
AP306	34
AP400	34
AP401	34
AP4010S	34
ATS45	39
B11LP	8

B11LPH	8
B11LT	8
B11LTH	8
B12LP	8
B12LPH	9
B12LT	8
B12LTH	9
B12SRT	8
B12XT	8
B15LT	9
B5LT	7
B5ST	7
B5XT	7
B8LT	7
BCD10	16
BP100	26
BP120	26
BP310	26
BP320	26
BP340	26
BP360	26
BP520	26
BP540	26
BP560	26
BP720	26
BP910	26
BP930	26
BP940	26
BTD05	16
CB11LT	11
CB12LT	12
CB5LT	11
CB5ST	11
CDH21B	43
CDH23P	43
CDH25B	43
CDH25P	43
CDH29B	43
CDH29P	43
CDH31P	43

CDH33A	43
CRT11	24
CS23	44
CS31	44
CSS	44
D11LT	10
D12LT	10
D12XT	10
D5LT	10
D5ST	10
E705R	18
EBC02	28
EBC05	28
EBF01	27
EBF02	27
EC45A	37
EC45AL	37
ECS21B	43
ECS25B	43
ECS29B	43
ECS33B	43
EH40	44
EJ10C	18
EJ11	18
EL5ML	30
EPH02	27
EPH04	27
EPS01	27
EPS02	27
EPS03	27
EPS04	27
EPS06	27
EPS07	27
EPS10	27
ER320	30
ER420	30
EZ11	18
FLR01	14
FLR02	14

FLR03	14
FSW11	24
GCS40B	46
GCS40G	46
GCR40B	46
GCR40G	46
GEN11	24
GEN11VK	25
GST45B	37
GST45D	37
GST45G	37
GST45T	37
GST45W	37
GST60B	36
GST60D	36
GST60G	36
GST60T	36
GST60W	36
H12LP	12
HAP02	14
HAR17F	20
HAR23	20
HAR36	20
HAR9F	20
HARH23	20
HARH36	20
HARH45	20
HDHO5	21
HP54CTA	25
HSA08	25
HST01	25
HST02	25
LC2010Z	31
LC3010Z	31
LC307	32
LC310	32
LC320	32
LC330	32
LC4010Z	31
LC407	32

LC410	32
LC420	32
LC430	32
LC800	33
LONG60A	36
LT100	33
LT102	33
LT200	33
LT202	33
LT300	33
LT400	33
LX105	31
LX107	31
LX110	31
LX205	32
LX207	32
LX210	32
LX220	32
MCL20	31
MCM20	31
MCM30	31
MCS20	31
MIC108G	18
MIC109G	18
MIC110G	18
MIC113G	18
MIC4030	17
MIC4032	17
MIC4034	17
MIC4036	17
MSM20	31
NSLG2C35A	23
NSLG2C45A	23
NSLG2S35A	23
NSLG2S45A	23
NSLX120L	22
NSLX125C	22

NSLX137C	22
NSLX145C	22
NTLC55	40
NTLC75	40
PCEE45A	37
PCEE60A	36
PLEE45A	37
PLEE60A	36
PMW35	47
PN120	13
PN150	13
POUCH	17
PPH03	44
PRR35	47
PRW35	47
PSEE45A	37
PSEE60A	36
PSX	47
PVE35A	38
PXW35	47
SC45A	37
SC60A	36
SNGCB	21
SNGHK	21
SNGHK2	21
SR55	40
SR75	40
SRNH1	18
TCD75	41
TCR10	42
TCR55	41
TCR75	41
TCT10	42
TCT55	41
TCT75	41
TLB01	25
TLC10	42
TLC55	41
TLC75	41

TR45G	39
TR45W	39
TRD75	41
TRT10	42
TRT55	41
TRT75	41
TTBLUE	25
TVC55	41
TVR55	41
TX30B	45
TX30G	45
TX30V	45
TX60B	45
TX60G	45
UV120	13
VASECR35	38
XR30B	45
XR30G	45
XR30V	45
XR60B	46
XR60G	46

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

---

Please refer always to the instructions for use/  
package insert that follows with the device for  
the most current and complete instructions.

For Finland: Products are CE marked. BSI Group  
The Netherlands B.V. - Notified Body nr. 2797